

Capture the Sun!

Pool Enclosure Catalogue 2023





horizon colour Anthracite (RAL 7016) sizes L: 11000 mm, W: 5500 mm, H: 600 mm front end wall Flap with 50 mm rubber seal



Adapt the height to suit your style requirements. Versatility down to the tiniest detail.


horizon

The unrivalled combination of modern architectural adaptation and swimming comfort.

There is a constantly increasing demand for flat designs on the swimming pool enclosure market. **Horizon** is our super flat model, a contemporary rectangular design with straight side profiles that provides for sleek integration with your home and garden so that it discretely disappears in the surrounding environment.

Sustainability with state-of-the-art aesthetics.

This is the economy version of our model "star" and it comes with another profile system. This model features a lighter structure with a maximum width of 5.75 m. Due to the torispherical shape this enclosure is quite flat, yet has a remarkable span.



zenith flat

colour White (RAL 9010)

sizes L: 8200 mm, W: 4500 mm, H: 850 mm

front end wall Glazed flap with 50 mm rubber seal



how it's made

Our pool enclosures are produced with state-of-the-art technology and the finest craftmanship.

Harmony of form and function

Self-cleaning construction

Rainwater can freely flow down on the surface of the glazing of our pool enclosures, hence there is no dirt to be accumulated as a result of profiles splitting the surface of the glazing, which is a typical construction element used in cheap pool enclosures.

Truly elegant designs

Clear structural appearance

Screws, bolts and studs, like all cut surfaces of our pool encosures, are hidden.

Solutions without rails or monorail versions

Our most popular retractable models are also available without rails or with a single guiding track on one side (monorail).

Front end wall with flaps or hinged door

The front end wall can be equipped with foldable flaps or hinged door allowing the front end wall to be moved or to have ventilation under the enclosure with a simple move. A perfect seal is provided by high-quality silicone.

Horizontal sliding door

The sliding doors on the side of our flat or super flat enclosures ensure an easy access into your pool without moving the segments. Most of our enclosures feature a sliding door as standard.


CERTIFIED by C.E.I.P NORME NF P90-309 +A1 AFNOR

NF P90-309

Our enclosures are certified by the French norm "AFNOR NF P90-309" and therefore fulfill all child safety requirements.

star

Compound arch cross-sectioned low profile pool enclosures



size

width: 3.50 m - 6.00 m height: 0.82 m - 1.20 m (depending on the width)

rails

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate or 8 mm double-walled polycarbonate

zenith flat

Compound arch cross-sectioned low profile pool enclosures



size

width: 3.50 m - 5.50 m height: 0.82 m - 0.99 m (depending on the width)

rails

12 mm super flat rails

profile Colours

white aluminium (RAL 9006) anthracite (RAL 7016)

glazing

3 mm solid, transparent polycarbonate or 6 mm double-walled polycarbonate

sky

Arch cross-sectioned pool enclosures



size

width: 3.50 m - 6.00 m height: 1.10 m - 1.85 m (depending on the width)

rails

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate or 8 mm double-walled polycarbonate

zenith standard

Arch cross-sectioned pool enclosures



size

width: 3.00 m - 5.50 m height: 1.10 m - 1.70 m (depending on the width)

raile

12 mm super flat rails

profile colours

white aluminium (RAL 9006) anthracite (RAL 7016)

glazing

3 mm solid, transparent polycarbonate or 6 mm double-walled polycarbonate

horizon

Rectangular shaped flat model with vertical side walls



size

width: 3.50 m - 5.75 m height: 0.40 m - 0.60 m (depending on the width)

rails

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) iet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate

horizon high

Slightly arched flat model with vertical side walls



size

width: 3.50 m - 6.25 m height: 0.50 m - 0.77 m (depending on the width)

rails

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)


grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate

visual

Trapezoidal cross-section low pool enclosures



size

width: 3.50m - 5.00m/ 5.5m height: 0.63m - 0.69m / 1.2m (depending on the width)

raile

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate

harmonie

Compound-arch cross-sectioned, high pool enclosures



size

width: 4.00 m - 6.00 m height: 2.10 m - 2.30 m (depending on the width)

rails

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate or 8 mm double-walled polycarbonate

practic

Asymmetric high pool enclosures



size

width: 4.00 m - 5.50 m height: 2.10 m - 2.25 m (depending on the width)

raile

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate

creative

Wall-mounted high pool enclosures



size

width: 4.00 m - 6.00 m height: 2.20 m - 2.70 m (depending on the width)

raile

12 mm super flat rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate or 8 mm double-walled polycarbonate

charisma

Wide span, high pool enclosures



size

width: 4.00 m - 7.00 mheight: 0.70/2.20 m - 2.50 m(depending on the width and model)

rails

guiding rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate

galaxy

High, fixed pool enclosures



size

width: 5.50 m - 10.00 m height: 2.57 m - 2.77 m (depending on the width)

rails

no rails

profile colours

white (RAL 9010) anthracite (RAL 7016)

glazing

3 and 4 mm solid, transparent polycarbonate and 10 mm double-walled polycarbonate

positioning system

fixed segments, opening side windows

galaxy 170

High, fixed pool enclosures



size

width: 9.00 m - 14.00 m height: 2.57 m - 3.54 m (depending on the width)

rails

no rails

profile colours

white (RAL 9010) anthracite (RAL 7016)

alazina

3 and 4 mm solid, transparent polycarbonate and 10 mm double-walled polycarbonate

positioning system

fixed segments, opening side windows

orion

Wide span, high pool enclosures



size

width: 4.00 m - 9.00 m height: 2.57 m - 3.54 m (depending on the width)

rails

guiding rails

profile colours

anthracite (RAL 7016) / anodized white (RAL 9010) / anodized

glazing

4 mm solid, transparent polycarbonate

positioning system

manual

front end wall

sliding with 50 mm rubber sealing

rondo

Domed massage-pool enclosures



size

width: 3.75 m and 4.75 m height: 2.30 m

rails

no rails

profile colours

white aluminium (RAL 9006) white (RAL 9010)

grey aluminium (RAL 9007) anthracite (RAL 7016) jet black (RAL 9005)

glazing

4 mm solid, transparent polycarbonate or 8 mm double-walled PC

Our enclosures are made of high-quality materials supplied by market-leading manufacturers.



profiles

The uniquely designed aluminium profiles are extruded exclusively for Aquacomet only by the largest and most distinguished international aluminium extruder companies using the alloy AIMgSi 0,5 F19.



spare parts

All spare parts are custom-built and made of stainless steel. All screws and bolts are made of A4 stainless steel.







powder coating


There is a standard selection of modern and popular colours. However, our enclosures are also available in all RAI colours as an option.



qualicoat

All of our profiles are coated by our own fully automatedand Qualicoat-certified powder coating facility.





sealed design

We apply an EPDM rubber sealing on one or both sides of the solid PC glazing used in our enclosures. Due to the sealing, the structure is stiffer, and wind or movement of the enclosure produces no noise.



glazing

The polycarbonate glazing applied in our enclosures is a long-lasting product which comes with UV resistance on both sides and a 15-year warranty provided directly by the manufacturer




moving parts

The smooth movement of our enclosures is due to the custom-designed structural hard plastic wheels which are supplied with dustproof ball-bearings on both sides.



smart drive

Our motor drive system is an option available for almost all our pool enclosure models. This motor drive can be operated by an app which runs on both iPhone and Android smart phones. The drive train is directly connected to the wheels of the enclosure



Specifications subject to change without prior notice! Aquacomet does not accept responsibility for typographical errors. Copying any part of this document is prohibited.

Photos: Schwimmbad & Sauna, Róbert Kovács

